

CITYBEAM LED SL84 RGBW (High Power)



art. 1775

Short description

- 4°; narrow beam angle
- Astonishing level of brightness up to 250 meters
- High Power RGBW SINGLE LEDs
- Energy efficient

The CITYBEAM LED SL84 is a new IP67 RGBW long distance outdoor colour changer with single LEDs.

A powerful beam of light even narrower than the traditional Citybeam LED to reach impressive heights.

- Standard fixture colour finishing is black. Optional grey and white (art. FX-COLOUR).

Description

• SOURCE

n. 84 Hi-Power SINGLE LEDs (n.22 red, n.22 green, n.22 blue, n18 white)

220W total light power

Total lm: R 3400, G 6000, B 33W, W 7200

• OPTIC

4°; Ultranarrow (38 mm lenses)

• TILT

Manual 160°;

CITYBEAM LED SL84 RGBW (High Power)

• CONTROL

Standard interface: RS-485, optocoupled input

Protocol: USITT DMX512

• CONNECTIONS

Signal: 4pin IP 67 connector (male-female)

Main Power: 3x1mm cable 1,5mt.

Available as accessories:

- Wireless DMX receiver

• SAFETY

n. 2 eyebolts for safety chains

• SETUP AND CONFIGURATION

Control panel with touch technology

Led display with flip function

Dedicated DMX channel for white balance

DMX or Auto mode with Master-Slave function

Intelligent temperature control

Flicker-free function

Smooth dimming function

Halogen simulation

CYM simulation

• RATING PROTECTION

IP 67

• DMX CHANNELS

- 9CH mode

- 5CH mode

- 4CH mode

• POWER SUPPLY

Voltage range: 120-240VAC

Frequency range: 47-63Hz

Active Power factor: PF>0.95/230VAC

CITYBEAM LED SL84 RGBW (High Power)

Current: 1.1A@230VAC; Fuse T5A

Power: 250W

• PHYSICAL

WxDxH: 615x185x420 mm

Weight: 18,5 Kg.