

## CITYBEAM LED SL42 RGBW (High Power)



art. 1780

### Short description

---

- 4°; narrow beam angle
- Astonishing level of brightness up to 250 meters
- High Power RGBW SINGLE LEDs
- Energy efficient

The CITYBEAM LED SL42 is a new IP67 RGBW long distance outdoor colour changer with single LEDs.

A powerful beam of light even narrower than the traditional Citybeam LED to reach impressive heights.

- Standard fixture colour finishing is black. Optional grey and white (art. FX-COLOUR).

### Description

---

#### • SOURCE

n. 42 Hi-Power SINGLE LEDs (n.11 red, n.11 green, n.11 blue, n.9 white)

110W total light power

Total lm: R 1700, G 3000, B16,5W, W 3600

#### • OPTIC

4°; Ultranarrow (38 mm lenses)

#### • TILT

Manual 160°;

## CITYBEAM LED SL42 RGBW (High Power)

### • CONTROL

Standard interface: RS-485, optocoupled input

Protocol: USITT DMX512

### • CONNECTIONS

Signal: 4pin IP 67 connector (male-female)

Main Power: 3x1mm cable 1,5mt.

Available as accessories:

- Wireless DMX receiver

### • SAFETY

n. 2 eyebolts for safety chains

### • SETUP AND CONFIGURATION

Control panel with touch technology

Led display with flip function

Dedicated DMX channel for white balance

DMX or Auto mode with Master-Slave function

Intelligent temperature control

Flicker-free function

Smooth dimming function

Halogen simulation

CYM simulation

### • RATING PROTECTION

IP 67

### • DMX CHANNELS

- 9CH mode

- 5CH mode

- 4CH mode

### • POWER SUPPLY

Voltage range: 120-240VAC

Frequency range: 47-65Hz

Active Power factor: PF>0.95/230VAC

## CITYBEAM LED SL42 RGBW (High Power)

Current: 0.55A@230VAC; Fuse T5A

Power: 125W

• PHYSICAL

WxDxH: 355x185x420mm

Weight: 12 Kg.