



## SPLITTER 1 exit

OPTO-ISOLATED DMX AMPLIFIES/BOOST


This series of DMX Splitter has 1 INPUT and 1 OUTPUT (3pin and 5pin).  
Absolute isolation between the INPUT and OUTPUT or between the OUTPUT and OUTPUT

### SPECIFICATION

- Duplication IN/OUT XLR3 and XLR5 connector
- Regeneration and amplification of the DMX signal
- N.1 output signal opto-isolated from the input signal
- World wide power supply range (100-240VAC)
- Absorption 4W max
- Line protections on the signal and on the main
- IP rate: IP20
- Temperature range: -20°C..+45°C
- PHYSICAL  
WxDxH: 216x127x44mm

### PHYSICAL

[www.studiodue.com](http://www.studiodue.com)



# StudioDue

Studio Due Trade s.r.l.  
R.E.A. 1494819 · C.F. / P. Iva 14078001006  
legal seat: via Raffaele Battistini, 35 · 00151 Roma  
operational headquarters: str. Poggino, 100 · 01100 Viterbo (Italy)  
tel. 0761.352520 · fax. 0761.352653  
e-mail: info@studiodue.com · pec: studioduetrade@pec.it

Doc. 5001-1e/i - REV 2 11/21  
SPLITTER 1e/i series


Dichiarazione di conformità  
Declaration of conformity



La ditta: Studio Due Trade s.r.l.  
The firm:

dichiara sotto la propria responsabilità che il prodotto:  
declare under our sole responsibility that the product:

**SPLITTER 1 EXIT** series IP67-IP20  
code: 5001-1e / i

è conforme alle norme:  
is in conformity with the standard: 

**Safety:**  
(by Low Voltage Directive 2014/35/EU)  
EN60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013

**Electromagnetic Compatibility:**  
(by Council Directive 2014/30/EU)  
EN 55022:2010  
EN 55024:2010  
EN 50581:2012

**2011/65/EU: RoHS2 Directive**



VITERBO,

11/11/2021

ROBERTO FRAIOLI  
General Manager